# SEEDLING CATALOG 2005-2006



STATE FOREST NURSERY call 800-865-2477 fax 515-233-1131 web www.iowadnr.com/forestry/



ROGER JACOB State Forest Nursery Manager Forester

Roger manages both the Ames Nursery and Montrose Nursery. He takes an active role in all aspects of the nurseries and will be happy to help you develop your conservation plan.

THE STATE FOREST NURSERY welcomes the opportunity to help you with your planting needs. We strive to produce the best planting stock in the industry. Let us know how we can help you. You can reach us by calling 800-865-2477, or visting www.iowadnr.com/forestry/. Our staff will do their best to fulfill your needs or get you to someone who can help you. Our goal is for your planting to be successful!

By planting trees today, you can leave a legacy for your children or grandchildren. You'll be surprised how fast they grow! Let us help you create your own special legacy. Your children and grandchildren will thank you and it will create a special bond that will live beyond your mortal years.

### ORDERING from the STATE FOREST NURSERY

call 800-865-2477 FAX 515-233-1131 web www.iowadnr.com/forestry/

PLACE ORDERS August 1, 2005 - May 31, 2006

**MINIMUM ORDER IS 500 PLANTS** except to fill in plantings from the previous year or for Specialty Packets which can be ordered individually.

WHEN ORDERING BY MAIL, DO NOT SEND MONEY with your order.

A bill will be sent later. Checks, VISA or MasterCard are accepted.

#### TO PURCHASE you must agree:

- to plant and use the nursery stock requested upon the described property for establishing or improving existing forests, erosion control, game or water conservation with these restrictions;
- to NOT resell or give these plants away with roots attached to any person, firm, corporation or agency nor to plant any of them for new windbreak, shade or ornamental purposes;
- to protect all planting from fire and domestic livestock grazing;
- to forfeit for destruction any trees planted or used inviolation of the above restrictions.

**SHIPPING** to your home is available for \$5/100 plants. Plants can also be picked up at the nursery in Ames.

PRICES INDICATED with descriptions are priced per 100 plants. Most species come in two sizes: 8"-16"; and 17" and larger. The first price listed with the description is for the 8"-16" size; the second price is for the 17" and larger size. Refer to the Order Form for more specific infomration.

# SPECIALTY PACKETS

#### CREATE-A-PACKET

This packet of 200 trees and shrubs provide habitat to various wildlife. Birds will nest in the foliage in the spring, critters will gather seeds and nuts in the fall and find shelter in the winter. Packet includes 50 each of the 4 species of YOUR CHOICE. \$90

#### TURKEY PACKET

This packet of 200 trees and shrubs will improve your area for wild turkey food and cover. Packet includes 50 each of Bur Oak, White Oak, Pin Oak and Gray Dogwood. Recommended by the Iowa Chapter of the *National Wild Turkey Federation*.

\$90

#### PHEASANT PACKET

You can provide important winter cover with this packet of 200 trees and shrubs selected for pheasants and quail. Packet includes 50 each of Red Cedar, Wild Plum, Ninebark and Gray Dogwood. Recommended by *Iowa Pheasants Forever* chapters. \$90

#### **QUAIL PACKET**

Build a covey "headquarters" to provide the natural shelter quail need to survive. Plant shrubs 2-3 feet apart by species to form groups or multiple short rows to create groups. Packet includes 100 Wild Plum and 100 Gray Dogwood. Recommended by the DNR Wildlife Bureau. \$90

#### SONGBIRD PACKET


This packet includes 16 favorite shrubs and 4 trees. These species will attract a variety of songbirds year round: 2 Bur Oak, 2 White Pine, 4 Wild Plum, 4 Chokecherry, 4 Gray Dogwood and 4 Serviceberry. The seedlings are shipped directly to your home. Recommended by *Iowa Audubon*. \$20













GIFT CERTIFICATES are available for SPECIALTY PACKETS and other orders. See page 23.

TO PLACE YOUR ORDER call 800-865-2477 or visit www.iowadnr.com/forestry/.

# **NATIVE IOWA HARDWOODS**

These trees are the anchors to any successful tree-planting project. Native trees can be the easiest to grow because they are already adapted to the lowa climate and soils. Valued for their wildlife food and habitat, autumn colors and wood products, the hardwoods are ideal for conservation plantings of all kinds.



#### SUGAR MAPLE

(Acer saccharum) 60-

75'. Brilliant orange red fall color. Tolerates shade. Collect maple sap in the spring for your own maple syrup. Does best on moderately moist to well-drained sites. Valuable wood products. Excellent firewood. \$37/\$42



#### SILVER MAPLE

(Acer saccharinum) 50-

80'. A very hardy, rapidly growing, easy-to-establish tree. Does best on moist to well-drained sites, but is adaptable to most sites. Prefers full sun, tolerates some shade. Valuable wood products tree. Yellow fall color. Good firewood. \$37/\$42



#### **RIVER BIRCH**

*" (Betula nigra)* 40-70'.

Variable bark color but peels of bark on branches 2"or greater expose reddish brown inner bark. Prefers an acid soil and is best adapted to moist soils, native along stream banks. Yellow fall color. \$37/\$42



#### SHELLBARK HICKORY (Carva laciniosa) 60-80'.

Native to SE Iowa along river bottoms. Nuts are edible and provide a good food source for wildlife. Yellow fall color. Excellent firewood.



# SHAGBARK HICKORY (Carya ovata) 60-80'.

Native to all but the NW corner of lowa. Upland species that prefers well drained soils. Nuts are edible and provide a good food source for wildlife. Its shaggy bark offers good bat nesting sites. Yellow fall color. Excellent firewood.













#### **NORTHERN PECAN**

(Carya illinoensis) 70-

100'. Native to southern Iowa along river basins. Prefers deep, moist, well-drained soil. Largest of the hickories. Nuts are edible and provice a good food source for wildlife. Yellow fall color.

\$40 / \$45

# HACKBERRY

(Celtis occidentalis)

40-60'. Hardy fast grower that prefers moist fertile soil, but adapts to most soils. Fruit is good for birds and wildlife. Good firewood. Yellow fall color. Prefers full sun but adapts to some shade. \$37/\$42



#### **GREEN ASH**

(Fraxinus pennsylvanica)

50-60'. Rapid grower. Does best on moist to well-drained sites, but is generally adaptable to most sites. Requires full sun. Valuable wood products tree. Yellow autumn color. Excellent firewood. \$37/\$42



#### WHITE ASH

(Fraxinus americana)

50-80'. Rapid grower. Does best on slightly moist to well-drained sites, but is adaptable to most sites. Prefers full sun, but can adapt to some shade. Valuable wood products tree. Purplish fall color. Excellent firewood. Native to all but the NW corner of lowards.





#### BLACK WALNUT

(Juglans nigra) 50-75'.

A large tree with medium green, pinnately compound leaves. Does best on rich, deep, fertile, well-drained soils. Requires full sun. Widely planted and highly regarded for top quality lumber. Nuts are edible, providing an excellent wildlife food source. Yellow fall color. \$40/\$45















#### **SYCAMORF**

(Platanus occidentalis)

70-100'. This grand tree with spreading branches is native to southern lowa but its range extends farther north. Rapid growth rate. Enormous leaves, interesting upper bark textures peel away to lighter colors. Good streamside and wildlife plant. Yellow-brown fall color.\$37/\$42



#### COTTONWOOD

(Populus deltoides)

60-100'. A large, very hardy, rapidly growing tree. Prefers moist conditions, but is adaptable to most sites. Commonly planted along streams. Prefers full sun. Valuable for fuel-wood plantations. Yellow fall color. *Also available as 14" unrooted cuttings.* \$37



#### HYBRID POPLAR

(Populus deltoides x Populus nigra) 40-60'. A hybrid mix of Cottonwood and Black Poplar. A medium, seedless, hardy, rapidly growing tree. Adaptable to most sites. Prefers full sun. Valuable for fuelwood plantations. Nonnative. Yellow fall color. Also available as 14" unrooted cuttings. \$37





#### **BLACK CHERRY**

" (Prunus Serotina) 50-

60'. Native to all but extreme NW lowa. Prefers moist fertile soil, but adapts to all except very wet or very dry. Fruit is good for birds and makes good jelly and wine. Valuable wood products tree. Yellow fall color. \$37/\$42



#### WHITE OAK

(Quercus alba) 50-80'.


Does best on slightly moist to well-drained sites. Requires full sun. Valuable wood products tree. Acorns provide excellent wildlife food source. Purplishred autumn color. Excellent firewood. Native to all but the NW corner of lowa. \$40/\$45







Among the hardiest of the oaks. Adaptable to most soils, yet grows best in wet, swampy, soils. Requires full sun. Acorns provide excellent wildlife food source. Red-bronze fall color. Excellent firewood. \$40 / \$45



(Quercus muehlenbergii)

40-50'. Attractive oak with coarsely toothed slender leaves.

source. These were once used to

make flour. Yellow to orange-

Prefers rich bottomlands, but can be found on limestone outcrops. Tolerates alkaline soils. Acorns are an excellent wildlife food



#### **BUR OAK**

(Quercus macrocarpa)

70-80'. A vigorous grower. Adaptable to most soils. Re-

quires full sun. Planted in small

groupings or spread apart, their

branches grow with great char-

acter. Acorns provide excellent

wildlife food. Yellow-brown fall

color. Excellent firewood.

#### BLACK OAK

(Ouercus velutina) 50-

70'. Grows best on moist, rich, well-drained, acid soils, can survive on poor, dry, sandy, or heavy clay. Good wildlife food source. Excellent firewood. Red to

red- brown fall color. \$40 / \$45



#### PIN OAK

(Quercus palustris) 60-

80'. Attractive pyramidal shape, winter branching resembles a starburst emanating from a central point. Does best on moist, well-drained sites in full sun, tolerates some shade. Small acorns offer good wildlife food. Bright red fall color. Native to SE Iowa.


\$40 / \$45











THE STATE FOREST NURSERY supplies vigorous healthy seedlings for the purposes of reforestation, conservation, erosion control and water quality. In 2001 there were 5.5 million trees and shrubs planted throughout lowa. Although most are provided to private landowners, they are also provided for our state forests, parks and highway plantings.

# TO PLACE ORDERS

CALL 800-865-2477 or VISIT www.iowadnr.com/forestry/

# (Quercus rubra) 60-75'.

#### RED OAK

Fastest grower of the oaks, does best on moist or well-drained sites. Does best in full sun. Valuable wood products tree. Acorns provide excellent wildlife food source. Red to red-brown fall color. Native to all but the NW corner of Iowa. \$40 / \$45



#### MIXED OAK

(Quercus-variety)50-80'.

Contains various oaks including Red, White, Bur, Pin and Black in varying proportions. Because of varieties this grouping tends to be adaptable to most sites, you can't go wrong with oaks. Requires full sun. Acorns provide excellent wildlife food. \$40 / \$45



(Salix ssp.) 60-100'. A large, hardy, rapidly growing tree. Prefers moist conditions, streamsides and lake shores. Requires full sun. Good for streamside plantings. Similar to Black Willow. Yellow fall color. Also available as 14" unrooted cuttings.

AMERICAN LINDEN or BASSWOOD (Tilia americana) 60-80'. Native to the entire state. A stately tree that prefers moist sites, but is very adaptable. Shade tolerant. Yellow to brown fall color. \$40 / \$45



#### NATIVE TREES

are species that have always lived in Iowa and thrive in this climate with these soils.

#### NON-NATIVE TREES

may survive or even thrive in Iowa. Some may take on weedy habits and become problems, and others may succumb to diseases that the native species can resist.





are varieties of trees (native or non-native) that have been selected or manipulated to highlight features people like, and are most commonly found in urban settings.







# **EVERGREENS**

Two native lowa evergreens are among the evergreens offered by our Nursery. Many are used for winter cover for wildlife or Christmas tree production. Evergreens provide winter color for the landscape and are a great backdrop to deciduous trees such as River Birch or shrubs like Redosier Dogwood.

EASTERN RED CEDAR (Juniperus virginiana)
40-50'. Adapts to most sites — moderately dry to moist, full sun to partial shade. Tolerates poor, gravelly sites. Prefers airy sites. Very drought resistant. Dark blue berries. Excellent for wildlife food and cover. \$25/\$30

#### NORWAY SPRUCE

(Picea abies) 40-60'. Hardy. Does best on moist to well-drained soils. Shade tolerant. Prefers cooler sites. Fastest growing spruce. Dense draping branches. \$25/\$30

#### WHITE SPRUCE

(Picea glauca) 40-60'. Hardy. Does best in moist, well-drained, gravelly soils. Quite tolerant of lowa's hot, dry summers. Medium growth rate. Tolerant of considerable shade. Good wild-life cover. \$25/\$30

#### JACK PINE

(Pinus banksiana) 30-50'. Especially hardy on dry, sandy soils; adaptable to most well-drained soils. Good cover for coal spoil banks. Often planted for wildlife habitat or erosion control. Somewhat open and loose appearing. \$25 / \$30

#### **RED PINE**

(Pinus resinosa) 50-80'. Hardy, widely adaptable, but does best on well-drained soils. Full sun, but does not tolerate hot dry winds — prefers a cool, protected site. Good lumber tree.

\$25 / \$30











IOWA'S FOREST LAND is 92% privately owned. If you would like to add a forest planting to your property call 800-865-2477 or visit www.iowadnr.com/forestry/.

# EASTERN WHITE PINE

(Pinus strobus) 50-75'.

Grows well in rich, moist soil, but does best in moist, sandy loams. Full sun to partial shade. Intolerant of air pollutants. Soft, picturesque tree. Good lumber tree. Widely used for Christmas tree production. Native to NE lowa. \$25/\$30

#### SCOTCH PINE


(Pinus sylvestris) 30-60'. Used for Christmas tree production, excellent for wildlife cover and as companion trees in hardwood plantings. Should be considered only for short-term plantings as the tree may not live beyond 20 years. \$25/\$30



**THE STATE FORESTS** are renewable natural resources that are managed for sustainable benefits such as wildlife, watershed protection, wood products, asethetics, recreation and spiritual renewal.

A major Bureau of Forestry goal is the sustainability of lowa's natural resources. The state forests demonstrate that the land can be managed for multiple purposes while maintaining healthy, diverse ecosystems. Some of those purposes are: campground and trail establishment; prairies burned periodically for their renewal; preservation of areas with unique features; some open land farmed to provide landscape diversity and food plots for wildlife while other open areas are planted to prairies or trees; and some forest areas are harvested to intentionally create conditions needed for new forest growth. Without proper harvests, the oak forests will gradually disappear.

STATE FOREST BROCHURES are available at one of the state forests listed below or at www.iowadnr.com/forestry/.



CALL STOREST CALL 712-456-2924

SHIMEK FOREST CALL 319-878-3811

STEPHENSFOREST CALL 641-774-4559

YELLOW RIVER FOREST CALL 563-586-2254

# **SMALL TREES & SHRUBS**

The right finishing touches to any conservation planting can be made with small trees and shrubs. These are the working layer of plants for wildlife – providing nesting and producing fruits for food. Use these plants as borders, screens or in groupings to paint your land legacy – the distinguishing mark of artful conservation.



#### **SFRVICEBERRY**

(Amelanchier arborea)

6-20'. Small, multi-stemmed tree. Also known as Juneberry. Produces showy white flowers in the very early spring followed by edible purple fruit. Prefers moist to well-drained soils. Adaptable to either sun or shade. Excellent wildlife food. \$40 / \$45



#### BUTTONBUSH

(Cephalanthus occidentalis) 3-6'. Native to all, but

northwest corner of the state. Grows best in moist to wet areas along streams and lakes. Grows in sun or shade. White "button shaped" flowers in late \$40 / \$45 summer.



#### SILKY DOGWOOD

(Cornus obliqua) 6-10'.

Prefers moist and wet soils where many shrubs do not grow well. White flowers bloom in mid-June. Tolerates almost any location, growing in moist, wet soils, in sun or shade. Provides good food and cover for wildlife. Attractive red twigs. \$37 / \$42



#### GRAY DOGWOOD

(Cornus racemosa) 10-

15'. Forms a large plant colony from the original. Attractive shrub with cream flowers followed by white berries. Tolerates most locations, grows in moist or dry soils, in sun or shade. Very hardy. Provides good food and cover for wildlife. \$37 / \$42



## REDOSIER DOGWOOD

(Cornus stolonifera)

10-15'. Attractive red stems with cream flowers followed by white berries. Red twigs create winter color and are used in basketry. Forms a large plant colony. Tolerates most locations, grows in moist, wet soils, in sun or shade. Good wildlife food and cover \$37 / \$42











#### HAZELNUT

(Corylus americana) 8-10'. Adaptable shrub good for wildlife food and cover. This shrub is less common in many areas than it was historically – help put it back to the statewide distribution our wildlife deserves. Prefers well drained soils. Full sun or light shade. Produces edible nuts if you can get them be-

fore the critters do! \$40/\$45



#### NINEBARK

(Physocarpus opulifolius) 5-9'. Small, very hardy, dense, compact grower. Foliage is small and attractive. White clusters of flowers in May and June, followed by numerous small red pods. Adaptable to most sites; moderately dry to moist, full sun to partial shade. Excellent wildlife food and cover. Native to most of lowa.\$40/\$45



(Prunus americana)
10-15'. This hardy shrub is one of the most widely distributed in North America. Prefers rich moist sites in full sun, but is adaptable to slight shade. Forms thickets. White fragrant flowers in April followed by yellow to purple edible fruit good for jams and jellies. Excellent wildlife food and cover. \$40/\$45

#### NANKING CHERRY

(Prunus tomentosa) 8-10'. A broad spreading shrub. Pink to white flowers in early spring followed by edible scarlet fruit in June. Very attractive soft green foliage. Prefers rich, moist sites. Prefers full sun, but is adaptable to slight shade. Excellent wild-life food and cover. \$37/\$42

## CHOKECHERRY

(Prunus virginiana) 20-

30'. This hardy shrub or small tree is one of the most widely distributed in North America. Prefers rich moist sites. Prefers full sun, but is adaptable to slight shade. Resembles black cherry but is smaller. Bears red fruit. Excellent wildlife food and cover.

\$40 / \$45







#### SANDBAR WILLOW (Salix interior) 12-20'.

Valuable for stream bank stabilization and protection, establishes quickly in moist soils. Good wildlife cover. Requires full sun. Available in unrooted cuttings only, 1" diameter and 16" long for streambank projects.



5-12'. Prefers moist soils but will tolerate dry soils. Full sun to partial shade. Good wildlife food and cover so make space for this one. Showy, white, flat-topped flowers late-June, edible berries in fall, great for jelly. \$37/\$42

#### ARROWWOOD

(Viburnum recognitum)

8–15'. Hardy shrub that prefers well drained soils. Adapts to sun or shade. White flowers in late May to early June, with bluish black berries in fall. Provides good food source for birds. Fall color is yellow to red-purple.

\$40/\$45

## NANNYBERRY (Viburnum lentago) 15-

18'. Hardy large native shrub, prefers well drained soils. White flowers in early May with bluish black berries in fall. Purple-red fall color. Adapts to sun or shade. Good winter food for birds.

\$40 / \$45

#### HIGHBUSH CRANBERRY (Vibur-

num trilobum) 8-12'. Attractive, upright shrub. Showy flat clusters of white flowers, bright red berries that hold on all winter. Prefers deep, moist, well drained soils; full sun to partial shade. Excellent wildlife food and cover.

\$40 / \$45











HELP PROTECT OUR WATER RESOURCES - PLANT A BUFFER!

90% cost share still available. For more information contact your DISTRICT FORESTER, see page 14.

TO PLACE YOUR ORDER call 800-865-2477 or visit www.iowadnr.com/forestry/

#### DISTRICT FORESTERS

- 1. BRUCE BLAIR DAVE ASCHE Box 662 Elkader, IA 52043 563-245-1891
- 2. GARY BEYER GREG HEIDEBRINK 621 Beck St. Charles City, IA 50616 641-228-6611
- 3. ROBERT HIBBS 2608 S. 2nd St. Marshalltown, IA 50158 641-752-3352
- 4. STEVE SWINCONOS DAVID BRIDGES 300 Chamber Drive Anamosa, IA 52205 319-462-2768
- 5. STAN TATE 515 Townsend Ave. Wapello, IA 52653 319-523-2216
- 6. RAY LEHN Box 568 Fairfield, IA 52556 641-472-2370

- 7. DUANE BEDFORD 1111 N. 8th Street Chariton, IA 50049 641-774-8733
- 8. GEORGE WARFORD 1918 Greene St. Adel, IA 50003 515-993-4133
- 9. JEREMY COCHRAN Box 189 - 712 S. Hwy 6 Oakland, IA 51560 712-482-6245
- 10. JOE SCHWARTZ 1100A 12th St. SW LeMars, IA 51031 712-546-5161
- 11. RANDY GOERNDT 500 E. Taylor Creston, IA 50801 641-782-6761
- 12. WAYNE FUHLBRUGGE Box 232 Webster City, IA 50595 515-832-3585
- 13. MARK VITOSH 4265 Oakhill Crest Rd., SE Iowa City, IA 52246 319-351-8886

#### **DNR DISTRICTS**



1 /1

# SUCCESSFUL TREE PLANTING



#### **PLANNING**

Before ordering your trees, take time to make a plan. For assistance consult a DNR District Forester.

- Select tree and shrub species that will do well on your site and that will meet your objectives.
- · Determine tree and shrub spacing and the quantity needed.
- Place your order early to insure that seedlings are available.
- Consider the existing ground cover and the steps you need to take to insure that your trees will not succumb to weeds.
   You may need to eliminate or reduce competing vegetation before your planting can succeed.
- Consider what you will need to do to prepare the site.
- Decide if the site should be machine planted or hand planted.
- Decide if you can do the work, or if you need to hire a contractor.



Keep roots moist.





planting position.

#### SITE PREPARATION

The objective of site preparation is to control competing vegetation and to insure good soil to root contact for the newly planted seedlings. An ideal site is well tilled and free of weeds. However the steepness of slope, rocks and other impediments, and the need to control soil erosion often limit the degree of site preparation that can be considered practical.

Completely eliminate vegetation in a strip 3-5' wide where the trees are to be planted. Do this by cultivation or with herbicides. If the site needs protection from erosion, do all work on the contour.

#### SEEDLING CARE PRIOR TO PLANTING

The planting season in Iowa is generally April 1st to mid-May. It is best to plant seedlings as soon as you receive them. If this is not possible, they should be stored in a cooler at 35° F. If this is not possible, keep as cool as possible, in a location that does not allow freezing and thawing. Seedlings lose their vigor if stored for long periods.

#### SEEDLING CARE DURING PLANTING

- •Keep seedlings roots moist at all times. Transport trees in a bucket with water covering the roots or keep roots under wet material.
- •Do not leave bags of trees in the sun!
- Plant seedlings with the root collar slightly below ground. Trees may not survive with exposed roots.
- •Plant seedlings with the main root straight down, not doubled or sharply bent. Seedlings planted with "U-shaped" roots grow poorly. It is better to trim extremely long roots.
- •Plant seedlings in an upright position, firmly pack soil around the roots, leaving no air pockets.

#### MACHINE PLANTING

Tractor-drawn planting machines are limited to areas that can be worked with farm equipment. Average planting rates are 500-700 seedlings per hour.

County Conservation Boards and *Pheasants Forever* groups often have tree planting machines to loan or rent; some may provide other assistance as well. Tree planting contractors are also available.

Before starting, get instructions from the planting machine owner or a DNR District Forester (see page 14).



Be sure the machine opens an adequate planting trench and that it packs the trees firmly. If planting is done by a contractor, be sure the operators are well trained and experienced.

#### HAND PLANTING

Trees should be hand planted:

- when the planting site is too steep, rocky, brushy, severely qullied or small to be planted by machine;
- when planting machines are not available;
- when there are small areas of re-planting to do;
- within woodland openings or after timber harvest operations.


Average planting rates for hand planting are 300-500 seedlings per day.

There are three general methods of hand planting:

- the dug-hole method,
- the slit method, and
- · the wedge method.


#### **DUG-HOLE METHOD**

STEP 1 Using a shovel or auger, plant the tree in a hole deep enough and large enough to hold the roots of the tree. STEP 2 Place the tree in the hole so that roots are not doubled or bent. Use soil to help spread the roots. STEP 3 Fill in with loose dirt and pack to achieve good root-to-soil contact. Slightly depress surface soil for water penetration. Pack soil, removing all air pockets.




#### SLIT METHOD

STEP 1 Insert planting bar at an angle, then push forward to an upright position. STEP 2 Place seedling at correct depth. Vertically insert bar 2" from seedling. Pull bar back, firming soil at bottom of hole. STEP 3 Push bar forward, firming the remainder of the hole. STEP 4 Fill remaining hole. Step on soil around seedling to firm.



#### WEDGE METHOD

STEP 1 Insert a sand shovel vertically into soil. STEP 2 Insert shovel at an angle to create a wedge of soil. STEP 3 LIft out soil wedge. STEP 4 Place seedling against vertical side of hole, replace soil wedge, then step on wedge to anchor it in place.



# GRASS O WEED CONTROL FOR TREE SHRUB SEEDLINGS

#### ARE GRASSES AND WEEDS REALLY A PROBLEM?

Grass and weeds are a problem because they grow faster and are often taller than young seedlings. They compete with your seedlings for the limited moisture, nutrients, light, and space. Grasses and broadleaf weeds may kill your seedlings. At the very least, they keep seedlings from growing as quickly and vigorously as they would without competition.

In addition, a thick stand of grass or weeds next to your seedlings provides habitat for rabbits and rodents who can girdle or cut off your seedlings.

The only way to avoid these problems are to control the grass and weeds that cause them.

## WHAT DOES CONTROLLING GRASS AND WEEDS MEAN?

Controlling grass and weeds means keeping them from growing in a 3-5' zone around your seedlings. This gives the seedlings space to start growing without competition.

On sites where rabbits or rodents are a problem, mow the area between rows in the fall to reduce populations that may girdle your seedlings in the winter.

The primary reason for the failure of tree plantings in Iowa is the lack of control of the competition from grass and weeds.



Either tillage or chemical control of existing vegetation is recommended.



Controlling weeds can easily be accomplished with the proper start.

#### **HOW DO I GET STARTED?**

Begin grass and weed control before the seedlings are planted, preferably the fall before planting. To prepare for planting, remove all vegetation in strips or circles 3-5' wide. (The width will depend on the size of your seedlings, the size of competing weeds and the erosion potential of your site.) On sites with perennial grasses like brome, or fescue, eliminate the grass on the entire field.

Vegetation can be removed by cultivation (rototilling or plowing) in either spring or fall. Fall cultivation is best. On sites with sod or heavy trash, mechanical cultivation is required at least twice, with some time between cultivations.

When using herbicides to kill perennial grasses and weeds, spray the fall before planting. Annual weeds will die in the fall anyway. For maximum control mow the areas and allow grass and weeds to regrow to 3-4" before spraying. Roundup® is an effective herbicide to use. Adding 2,4-D will improve control of perennial broadleaves including alfalfa.

Growing grass and weeds can also be removed before planting in the spring by using a post-emergent herbicide, but only grass and weeds that are already growing will be affected. Again, Roundup<sup>®</sup> or Roundup<sup>®</sup> and 2,4-D are good choices.

There should be no vegetation growing in the strips or circles at the time of planting. If there is, treat again just prior to planting.

Grass and weed control will be needed for the first 3-5 years after your seedlings have been planted. While control efforts can decrease as the seedlings become established, some control will be necessary until your plants are tall or dense enough to suppress the competition.

There are several ways to control weeds, including cultivating, mowing, mulching and chemical control. Decide which method or methods will work best for you.

**CULTIVATING** - Mechanical or hand cultivation can effectively control grass and weeds, if you have the necessary equipment and labor. You will need to space seedlings to allow for cultivation equipment.

To avoid root damage with mechanical cultivation, don't cultivate closer than 6-12" to the seedlings or deeper than 3". A 4' strip or circle should be considered a minimum. Mechanical cultivation should be supplemented with hand cultivation or herbicide treatment to control weeds close to your seedlings. Cultivation will be required 3-5 times per growing season.

**MOWING** - Mowing is a poor alternative for controlling weeds. Although it controls competition for light and space, weeds still compete with your seedlings for moisture and nutrients. There is also the potential for mechanical damage to the seedling when trying to mow too close. Hitting seedling stems while mowing, provides a place for disease to start. Mow often enough to keep seedlings clearly visible.

# WHAT DO I DO AFTER PLANTING?



Mulching controls weeds and water loss.

**MULCHING** - Mulch can be used around seedlings to control weeds and reduce moisture loss. It can be difficult and expensive to obtain mulch and spread it on a large scale.

Many materials can be used as mulch, including dry sawdust, wood chips and bark. Straw is not as good unless you can rake it away from the seedlings in the fall. Otherwise, it provides a home for rodents.

Remove any weeds before applying mulch. An organic mulch must be thick enough (3-4" minimum) to keep weeds from growing through it. Using an organic mulch like those mentioned above, a top dressing of nitrogen fertilizer may be needed to replace nitrogen used in decomposition.

Mulching can also be done using landscape fabrics instead of or in combination with organic mulches. These do a good

job of controlling weeds and reducing water loss if applied correctly. Select a fabric with good water penetration and is 4 oz. or heavier so it will last several years. These can be applied in strips over rows or in squares around individual plants. Use at least a 3' strip or square. Fabrics cost approximately 50 cents per square yard. They need to be fastened down with staples at least 6" long. Make sure the edges are sealed down so the wind doesn't blow under them and dry the soil and eventually blow them off the trees.

If fabrics are used alone, they must be black or weeds will grow underneath and force the fabric upward. Organic mulches may also be used on top of these fabrics to hold them down and help to control water loss.

Herbicides effectively control weeds when properly applied. They are available from most agricultural suppliers. You can use various equipment to apply herbicides, from boom sprayers suitable for large areas of level land to backpack sprayers for small areas or irregular terrain. Specific mixing and application instructions are on the label.

Apply herbicides only when needed and handle them with extreme care. Follow label directions and heed all precautions. Pesticides are especially dangerous when improperly handled, applied, or disposed. They can injure humans, domestic animals, desirable plants, wildlife and fish, and they can contaminate water supplies.

**PREVENTING WEED GROWTH** - Prevention is easier than killing grass and weeds after they are growing. Preventative measures are safer and last longer.

Since you have already eradicated any existing vegetation by following the directions under "How Do I Get Started?", you are ready to plant your seed-lings. Make sure the ground is well sealed around the seedlings, then spray the pre-emergent herbicides over them.

For pre-emergent control, a Simazine®/Pendulum® or Simazine®/Surflan® combination is very effective. Simazine® and Princep® are the same product supplied by different manufacturers.

When used together, apply Simazine® at 2-4 lbs. of active ingredient per acre and Pendulum® or Surflan® at 2-4 lbs. of active ingredient per acre. The Simazine® rate varies by soil type (see label). Some species are more sensitive to herbicides than others, so always use the proper herbicides and rates for a particular species.

# HOW DO I HANDLE HERBICIDES?

The two general types of herbicides effective in controlling grasses and broadleaf weeds are:

#### PRE-EMERGENT soil-applied chemicals applied before weeds emerge to prevent weed growth, and

POST-EMERGENT chemicals applied to the foliage of established weeds to kill them. **KILLING GROWING GRASS AND WEEDS** - If grass or weeds are growing after your seedlings have been planted (because pre-emergent application was delayed or adequate control was not achieved), post-emergents can be applied to regain control.

Goal® can be used for post-emergent control on weeds shorter than 4" and grasses no larger than the 2-leaf stage. It can be applied over conifers (except during bud break when some damage might result) or around hardwoods and shrubs (take care not to spray seedlings). Goal® may be substituted for Simazine® in the pre-emergent application. Simazine®, Surflan®, or Pendulum® provide no post-emergent control (Goal® does). Apply Goal® at 1 lb. of active ingredient per acre. A second application, probably in July, may be necessary.

NOTE Shallow cultivation (less than 2") of Simazine <sup>®</sup>/Surflan <sup>®</sup> or Simazine <sup>®</sup>/Pendulum <sup>®</sup> WILL NOT significantly alter their ef-

fectiveness. Disturbance of any kind on areas treated with Goal <sup>®</sup> WILL destroy its effectiveness.

For control of larger or problem broadleaf weeds such as Canada thistle, Transline® or Stinger® may be applied over the seedlings. Always check the label for the species and rates. Some of these species may display minor leaf burning, but they will grow out of it. Roundup® may also be used around seedlings to kill both grass and broad-leaves, but avoid contact with the seedlings (including drift). Protect them by covering them with a bucket, stovepipe, etc., while spraying. Use a 1-2% Roundup® solution.

REMEMBER Pre-emergent herbicides should be applied before your seedlings or the weeds start to grow! There should be no green growth in the 3-5' strips or circles when you plant your seedlings or spray pre-emergent herbicides.

To kill grass while seedlings are actively growing, some herbicides can be sprayed over both hardwood and conifer seedlings without injury. Envoy®, Vantage® (a formulation of Poast®) or Fusilade® will kill many kinds of annual grasses and some perennial grasses. Envoy® is the best choice for many perennial grasses like tall fescue and bluegrass. These are best utilized in late spring and early summer, preferably before the grass is 6" tall, but may be used on grass up to 12" tall.

Kerb® will kill existing perennial grass such as brome. Kerb® can be applied over deciduous trees, shrubs, and conifers at the rate of 2 lbs. active ingredient per acre in at least 25 gallons of water. To the Kerb® solution, add the Simazine® and/or Pendulum® or Surflan®. The Simazine® (Princep®) rate should be 2-4 lbs. of active ingredient per acre depending on soil type and the Pendulum®/Surflan® rate should be 2 lbs. of active ingredient per acre. This will give good weed control next season.

Kerb<sup>®</sup> applications must be made in the fall, usually in October or November after the soil temperature is below 50 degrees.

Oust® can also be applied over both deciduous trees and shrubs and conifers, but may be more hazardous to seedlings. Oust® has both pre-emergent and post-emergent activity, so it will kill existing perennial grass and many broadleaves and also provide pre-emergent control for the season.

## HOW DO I RESCUE EXISTING PLANTINGS?



WEED CONTROL IS WORTH THE EFFORT!

Seedling growth and survival are significantly increased by controlling grass and weed competition. GRASS and WEED CONTROL may be the single most important factor in establishing successful tree and shrub plantings.

Remember, establishing forest or wildlife plantings will not be accomplished simply by planting your seedlings. IF YOUR SEEDLINGS are worth planting, they are worth taking care of. Apply either in the fall or spring when seedlings are dormant. Oust® is an ultra low use chemical so use extreme caution when applying. Calibrate your sprayer so you know exactly how much you are applying or you may damage seedlings. Rates vary with soil types (see label) from .5-1.5 oz. per acre. Oust® should not be applied on soils with a PH of more than 7 or poorly drained soils.

Following is a list of herbicide manufacturers. Mention of these trade names is for the convenience of the reader and does not imply any endorsement by the Iowa Department of Natural Resources.

ALWAYS READ AND FOLLOW THE LABEL. Applicators must be certified to apply restricted pesticides.

| • •  |                       |
|--|-----------------------|
| HERBICIDE  | MANUFACTURERS         |
| BRAND  | MANUFACTURER          |
| Roundup  | Monsanto              |
| Surflan  | Elanco                |
| Princep  | Ciba-Geigy            |
| Goal & Kerb  | Rohm and Haas         |
| Vantage  | BASF                  |
| Fusilade   | ICI                   |
| Pendulum   | American Cyanamid     |
| Oust   | Dupont                |
| Simazine   | Riverside/Terra Corp. |
| Envoy  | Valent                |
| Stinger  | Dow                   |
| Transline  | Dow                   |
| NEVER apply herbicides to frozen ground or standing water. |                       |

# SHIPPING INFORMATION

call 800-865-2477 web www.iowadnr.com/forestry/ FAX 515-233-1131

#### HOW MANY TREES DO I NFFD?

You can estimate 700 trees per acre depending on your design needs and other conditions. Rows 8' apart and trees 8' apart within rows, or rows 10' apart and trees 6' apart within the row, equals approximately 700 trees per

acre. Shrubs can be planted in rows 8' apart and 4' apart within the row, which equals approximately 1400 plants per acre, or rows 10' apart and shrubs 5' apart which equals approximately 900 shrubs per acre.

SHIPPING Orders will be shipped to any address of your choice for \$5/100 plants. You can pick the week you would like to have your order shipped. In the fall shipments will start the last week of October and in the spring shipments will start the last week of March. Selections will be made at the time you place the order, so early orders will receive first selection. Weeks in April will become full as we can only physically ship a limited quantity each week. Once your date is confirmed on your invoice, we will do everything possible to ship your order that week, although weather may occasionally make it impossible. Orders must be paid in full before they will be shipped. Please leave a note for the shipper where to leave them so they will not be in the sun.

PICK UP AT THE NUSERY IN AMES You may also pick the week you would like to pick up your order. Once again selections will be made at the time of the order, so early orders will receive first selection. Orders will be ready on Fridays, so if you need to pick it up some other day than Friday, please select the week before. Orders must be paid in full before they can be picked up.

**PAYMENT** Payments for spring orders under \$100 and all fall orders will be due 2 weeks from the time of the order. For spring orders over \$100 and less than \$1000, only a 20% down payment will be due in 2 weeks. For spring orders over \$1000 only a 10% down payment will be due in 2 weeks. The balance will be due March 1, 2006. Payments will be non-refundable for orders cancelled after March 1, 2006.

**COST SHARE ASSISTANCE** Contact your District Forester for available programs.



#### **CLAIMS**


Claims for any cause must be made within 10 days after receipt of plants. We give no warranty, expressed or implied, as to the productiveness or life of the material, and we will not be in any way responsible for results or economic losses incurred or claimed by the consumer.

#### IOWA CONSERVATIONIST

This bimonthly magazine celebrates lowa's natural resources with full color photos and articles on the conservation issues affecting lowans.

SUBSCRIPTION RATES: 12 / 1 year; 18 / 2 years; 24 / 3 years





EQUAL OPPORTUNITY Federal regulations prohibit discrimination on the basis of race, color, origin, sex or disability.

If you believe that you have been discriminated against in any program, activity or facility as described above, or if you desire further information, please write to: Director, IDNR, Wallace State Office Building, 900 E. Grand Ave., Des Moines, IA 50319-0034.

THE STATE FOREST NURSERY is supported entirely by its sales of trees and shrubs. There are no tax dollars used for its operation.

Printed on

Recycled Paper

#### STATE FOREST NURSERY 2404 South Duff Avenue Ames, Iowa 50010-8093



Buy Speciality Packets or other trees as a gift. You will receive a gift certificate to sign and give, and the plants will be shipped directly to the recipient's address for planting. Speciality Packets information is on page 3.

BUREAU OF FORESTRY ☐

PRSRT STD U.S. POSTAGE PAID DES MOINES, IA PERMIT NO. 1195